



XA10 – Semax 10mg
2608AFL1537.5268 | ATL-39220

PHOTO



SAMPLE INFO

Lot #	PA-260827-012	Matrix	Peptide
Client	PepAid	Type	Vial (Injectable)
Received	09/04/2026	Storage Cond.	Refrigerated (2°C to 8°C)
Reported	09/10/2026	Intended Use	Research Use Only
Appearance	White powder	Labeled Content	10


SUMMARY

99.96%
Purity

Confirmed
Identity

CHROMATOGRAM

mAU



PEPTIDES

Complete

Date Tested: 09/10/2026

Compound	mg/unit	Status
Semax	10.55	Tested
Total	10.55	

COA-12 Peptides Rev. 2


Lise Berthe-Laurent - Laboratory
Director 09/10/2026

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.